



Tuff Stuff II

Step Up II

Tuff Stuff II

Entry Problem & Solution


Walked in soil and moisture are the main causes of premature wear and eventual replacement of floor covering. Effective placement of walk-off tiles can reduce the amount of soil and moisture entering a facility by up to 91%. This means lowered maintenance costs and extended life for all floor coverings beyond the entry. As shown in the chart below, Mohawk recommends six footfalls in each walk-off area to achieve such levels of performance.

Performance Innovations

Tuff Stuff II is designed specifically to protect facilities against excess dirt and moisture, all while providing a safe, non-slip surface in high moisture areas. Our attention to detail in construction insures that you get the highest performance entry carpet available.

- Tuff Stuff II is fire rated and meets the requirements of NCC Spec. C1.10 relating to fire hazard properties for Class 2-9 buildings.
- The use of heavy 'scraper' yarns provides for ideal soil removal and collection. Each square metre can hold up to 3.04kg of sand. That's 2.4 times its normal weight.
- Tuff Stuff II's unique construction removes and absorbs up to 4kg of moisture per square metre. That's 3 times it's normal weight.
- Tuff Stuff II carpet tiles can be easily cleaned by vacuuming or extracting. You can also remove individual tiles for cleaning or to replace damaged areas.

Footfalls vs. % Soil/Moisture Removal



Tuff Stuff II makes it easy to preserve the great look of your facility by providing a continual shield against moisture and soil.



Duracolor[®] FIBRE

Duracolor[®] fibre is exceptionally stain resistant, sustainable and beautiful. Carpet is easy to maintain with inherent stain resistance and water-only stain removal.



Duracolor



Competitor Solution
Dyed / Yarn Dyed Blend

STAIN RESISTANT

- Permanent built in protection
- Resists most common stains

SUSTAINABLE

- Made with 30% recycled content: 25% pre-consumer & 5% post-consumer
- No chemicals required: Most common stains clean with just water
- Declare Red List Free: Duracolor[®] fibre is Declare red list free in accordance with the Living Building Challenge

BEAUTIFUL

- Available in more than 300 colors
- Unsurpassed colorfastness to light and atmospheric contaminants so colours won't fade
- Unmatched design flexibility without compromising colour retention or stain resistance
- Proven track record of success over the past 20 years



Specifications

Step Up II

DESIGN

Size	609.6mm x 609.6mm (24" x 24")
Surface Appearance	Performance Tip Shear
Fibre Type	Duracolor® Premium Nylon
Dye Method	Solution Dyed
Installation Methods	Monolithic / Quarter Turn / Brick Ashlar / Vertical Ashlar / Multi-Directional
Colours Available	2


PERFORMANCE

Construction	Tufted
Gauge	5/32" (25.2 rows per 10cm)
Stain Release Technology	Permanent, Built into the fibre
Soil Release Technology	Sentry Plus® Soil protection
Backing Material	EcoFlex ICT
Flammability and Smoke Density#	Meets the requirements of NCC Spec. C1.10 relating to fire hazard properties for Class 2-9 buildings.
Static Propensity	AATCC 134 <3.5 Kilovolts at 21°C & 20% Relative Humidity

SUSTAINABILITY

Certification	Declared
Indoor Air Quality	Green Label Plus Certified #1098

Installation Instructions:



These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

#Test results and certificates are available on request. Specifications and colourations are subject to manufacturing tolerances. As part of the manufacturer's continuous improvement program, the manufacturer reserves the right to change the specifications of or delete colours of this product without notice.

These carpet tiles must be installed in accordance with AS2455 (Parts 1 & 2) and the GH Commercial Carpet Tile Installation Guidelines. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

For current and complete specifications please visit ghcommercial.com



green building council australia
MEMBER

♻️ Produced with recycled materials

Australia

Godfrey Hirst Australia Pty Ltd
(ABN 58 000 849 758)
1300 444 778
mohawkgroup.com.au

New Zealand

Godfrey Hirst New Zealand Limited
0800 500 210
mohawkgroup.co.nz